

**Cohort, Exam 4**

Ultrasound data  
Imputed, white female

## Data Sets Containing Imputed Values

Because gender-race specific regression models were used to perform the imputation, a separate data set exists for White Males, White Females, Black Males, and Black Females. Each data set name consists of UBMG (indicating ultrasound) + WM, WF, BF, or BM (indicating the specific gender-race group)+01(updated version number). For example, the data set containing imputed ultrasound data for white males is named UBMGWM01. Similarly, the data set containing imputed ultrasound data for black females is named UBMGBF01. A similar pattern holds for the other gender-race groups.

The variables contained within the data sets are summarized in the table below. Most variable names consist of LBID, RBID, LOPD, ROPD, LIND, or RIND (indicating location) + DA or WA (indicating the type of statistic) +45 (indicating that the measurement is of the far wall). There are a few other summary variables which have unique names. These are included in the following list.

VARIABLE	DESCRIPTION	TYPE
ID	Participant ID number	Character
*DA45	Imputed site-specific average far wall thickness *=LBID, RBID, LOPD, ROPD, LIND, RIND	Continuous
*WA45	Weight for site-specific imputed average wall thickness *=LBID, RBID, LOPD, ROPD, LIND, RIND	Continuous
SUM45_41	Simple average of *DA45	Continuous
SUM45_42	Weighted average of *DA45	Continuous
SUM45_43	Z score summary statistic for *DA45	Continuous
SUM4WT45	Number of observed values / 6 = weight for Sum45_41, Sum45_42, or Sum45_43	Continuous

## Imputed versus Unimputed Data

You may want to rerun analyses previously run on unimputed (observed) ultrasound data (using the UBMG42 data set), on imputed data (using the UBMGxx01 data sets, where xx can be BM, BF, WM, or WF). Because of the naming conventions used, this should be a relatively easy task. Note that the data set containing unimputed ultrasound data (UBMG) contains variables of average far wall width, such as LINDAV45 and LBIDAV45. These unimputed variables on the UBMG data set correspond to the imputed variables LINDDA45 and LBIDDA45, respectively, on the UBMGxx01 data sets. Thus, only the middle component of the variable name must be changed for AV (unimputed average) to DA (imputed average). This logic holds true for all of the site-specific averages.

## Use of Weights

The weights are a measure of precision which varies by number of sites observed. Regression estimates, using \*DA45 or SUM45\_41 as dependent variables, will generally be more precise if weighted regression is used.


**Cohort, Exam 4**

## Appendix A

## B-Mode Derived Variable Site Prefixes

LBI	Left Bifurcation
RBI	Right Bifurcation
LIN	Left Internal Carotid
RIN	Right Internal Carotid
LOP	Left Common Carotid: Optimal Angle
ROP	Right Common Carotid: Optimal Angle
QCC1	First QC Repeat Scan (refer to QC01 for site identification)
QCC2	Second QC Repeat Scan (refer to QC02 for site identification)

Schematic Overview of Carotid Artery B-Mode Ultrasound Measurements



## Interfaces:

- 1- Boundary between the periadventitia and adventitia of the near wall (not measured)
- 2- Boundary between the adventitia and media of the near wall
- 3- Boundary between the intima of the near wall and the blood
- 4- Boundary between blood and intima of the far wall
- 5- Boundary between media and adventitia of the far wall
- 6- Boundary between adventitia and periadventitia of the far wall (not measured)

Max 23 = B-A; Max 45 = D-C; Min 34 = H-G

The extracranial carotid system is divided into one-centimeter segments: I = internal carotid; II = carotid bifurcation; III = common carotid. A maximum of eleven measurements is made by URC readers on each arterial wall interface, in each arterial segment. These measurements are placed equidistant at 1 millimeter intervals, represented by the eleven points placed on interface B2 on the internal carotid. Also shown on this schematic is the definition of a maximum and a minimum wall thickness variable. Computational formulae for these variables are shown in this appendix.

**Cohort, Exam 4****Ultrasound data**

Imputed, white female

<i>ID</i>		<i>Aric Subject ID</i> <i>(Cir)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2859	Present	Text suppressed

<i>LBIDDA45</i>		<i>Derived Average Far Wall Thickness, Left Bifurcation</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2859	Range	0.288 - 5.094 ( median=0.846 mean=0.9232 std=0.3766 )

<i>LBIDWA45</i>		<i>Weight For LBIDWA45</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
79	0.1666666667	
219	0.3333333333	
268	0.5	
290	0.6666666667	
262	0.8333333333	
1741	1	

<i>LINDDA45</i>		<i>Derived Average Far Wall Thickness, Left Internal Carotid</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2859	Range	0.189 - 5.5944 ( median=0.65224 mean=0.712741 std=0.310579 )

<i>LINDWA45</i>		<i>Weight For LINDWA45</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
51	0.1666666667	
75	0.3333333333	
69	0.5	
36	0.6666666667	
11	0.8333333333	
2617	1	

<i>LOPDDA45</i>		<i>Derived Average Far Wall Thickness, Left Common Carotid: Optimal Angle</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2859	Range	0.288 - 2.5704 ( median=0.687273 mean=0.7118807 std=0.1858761 )

**Cohort, Exam 4**

LOPDWA45		Weight For LOPDWA45
N	Value	Description
78	0.1666666667	
204	0.3333333333	
236	0.5	
211	0.6666666667	
135	0.8333333333	
1995	1	

RBIDDA45		Derived Average Far Wall Thickness, Right Bifurcation
N	Value	Description
2859	Range	0.342 - 4.788 ( median=0.893591 mean=0.9918417 std=0.4456586 )

RBIDWA45		Weight For RBIDWA45
N	Value	Description
73	0.1666666667	
204	0.3333333333	
296	0.5	
305	0.6666666667	
220	0.8333333333	
1761	1	

RESPONS4		Number Of Observed Sites
N	Value	Description
82	1	
239	2	
386	3	
551	4	
749	5	
852	6	

RINDDA45		Derived Average Far Wall Thickness, Right Internal Carotid
N	Value	Description
2859	Range	0.216 - 4.716 ( median=0.7236 mean=0.82351 std=0.43913 )

**Cohort, Exam 4**

RINDWA45		Weight For RINDWA45
N	Value	Description
51	0.1666666667	
63	0.3333333333	
62	0.5	
41	0.6666666667	
20	0.8333333333	
2622	1	

ROPDDA45		Derived Average Far Wall Thickness, Right Common Carotid: Optimal Angle
N	Value	Description
2859	Range	0.306 - 2.889 ( median=0.706631 mean=0.7360291 std=0.2019368 )

ROPDWA45		Weight For ROPDWA45
N	Value	Description
78	0.1666666667	
191	0.3333333333	
227	0.5	
219	0.6666666667	
101	0.8333333333	
2043	1	

SUM45_41		Mean Of The DA45 Variables
N	Value	Description
2859	Range	0.425011 - 2.619935 ( median=0.760777 mean=0.8165262 std=0.2312870 )

SUM45_42		Weighted Mean Of The DA45 Variables
N	Value	Description
2859	Range	0.433584 - 2.709949 ( median=0.763669 mean=0.8165262 std=0.2256109 )

SUM45_43		Z-Score Summary Stat. For DA45 Vars
N	Value	Description
2859	Range	0.398327 - 2.864082 ( median=0.764909 mean=0.8165262 std=0.2368610 )

**Cohort, Exam 4**

SUM4WT45		<i>Number of observed values / 6 = weight for Sum45_21, 2, or 3</i>
N	Value	Description
82	0.1666666667	
239	0.3333333333	
386	0.5	
551	0.6666666667	
749	0.8333333333	
852	1	